

## Avian Redmite

Use for all flocks from day 1.

Administer daily for 21 days followed by once weekly thereafter.

To be used alongside Avian Health Flock Specific.

**Upto 4% more eggs when Redmite free**

### Dosage rate

50ml per 1,000 birds

Administered into drinking water.

## Wormer

Suitable for all flocks.

From 18 weeks of age.

Initial Administration daily for 21 days.

Rest for 21 days & repeat cycle.

Repeat throughout the laying period.

**Healthy birds lay more eggs**

### Dosage rate

50ml per 1,000 birds

Administered into drinking water.

## Benefits

- Comprehensive support
- Safe & effective
- Easy administration
- Extremely cost effective
- Non-toxic (no withdrawal period)
- No side-effects
- Can help boost immunity
- No residue in meat or eggs

## Crossgates Probiotics.

- Promotes efficient digestion
- Improved daily weight gain
- Better food conversion rates
- Improved egg yields

## Protexin Concentrate

- Lower mortality in new-born
- Improved daily live weight gains
- Improved disease resistance
- Lower pathogen loads.

## Crossgates Probiotics & Bioenergetic Resonance

Your Bio resonance feather analysis can be added into Crossgates Probiotics. The two products will work in unison to help fight challenges to the health of your flock and with a maintenance dose of the two, may prevent further challenges recurring.

**The application of all Crossgates probiotics is accurate and easy. It can be added to feed at feed mills, which can be beneficial to busy farmers, or via a cleansed drinking system.**



# *Natural Health Solutions*

*Crossgates Bioenergetics Ltd*



## *Instructions*

**0845 1308239**

*Phone for a free information booklet*

On line shop [www.crossgatesfarm.co.uk](http://www.crossgatesfarm.co.uk)  
Website [www.crossgatesavianhealth.co.uk](http://www.crossgatesavianhealth.co.uk)  
e mail [avian@crossgatesfarm.co.uk](mailto:avian@crossgatesfarm.co.uk)

## Healthy Chick

- Aids vaccine damage recovery
- Stimulates appetite
- Calms the nervous system
- Helps regain weight loss

### Day Old Chicks

Use daily for 10 days. Followed by Avian Health daily for 10 days, then once per week.

### POL @ 16weeks

Use Healthy Chick daily for 10 days. Followed by Avian Health daily for 10 days. Then dose once per week. 50ml per 1,000 birds Administered into drinking water.

## Avian Health

For use on all poultry.

Give your birds an immune enhancing lift from the start of their working lives.

Every flock is exposed to different virus, bacteria & parasites, make the remedy specific to your flock, by doing feather tests. Using the Flock Specific remedy will achieve optimum results.

The following variations are available:

Avian Health Turkey  
Avian Health Game  
Avian Health Duck

### Dosage rate

Administer daily for 21 days.  
Maintain by administering once weekly.  
50ml per 1,000 birds  
Administered into drinking water.

## Calming Care (Aconite+)

Suitable for all flocks.  
Beneficial in many situations.

- Calms
- Reduces stress
- Easier feather plucking

Transportation – Administer 2 days prior to transporting & for 3 days after arrival.

General stress relief – Administer once or twice per week.

Stressful event (bad weather/predators)  
Administer daily for 4 days.

Depletion – Administer for 3 days prior.

### Dosage rate

25 – 100ml per 1,000 birds  
Administered into drinking water.

## FreeRanger

For the free range table bird.

- Boosts appetite
- Assists feathering
- Strengthens the immune system

### Dosage rate

Administer daily for 14 days, then once a week.  
50ml per 1,000 birds  
Administered into drinking water.

### **1 pump is equivalent to 4ml**

All remedies can be boosted, by making the remedy specific to your flock.  
Contact us for your feather testing kit.

## Quality Egg

Suitable for laying flocks.  
From 32 weeks if egg quality drops.

- Aids shell quality
- Improves egg colour
- Aids production

To be used as a supplement alongside Avian Health.

### Dosage rate

Administer for 3 days per week until eggs have improved, usually 2 – 4 weeks. Repeat if necessary.  
50ml per 1,000 birds  
Administered into drinking water.

## Feather Care

Suitable for all flocks.

- Aids feather growth
  - Maintains good cover
- Warm birds eat less & lay more eggs

New flocks – Administer daily for 7 days followed by once weekly to maintain cover throughout laying.

Feather pecking - Administer daily for 7 days, followed by 2-3 days per week until pecking has stopped, reduce to once weekly as a maintenance dose.

### Dosage rate

50ml per 1,000 birds  
Administered into drinking water.